

Impact Of Plyometric, Isotonic, And Isometric Training Protocols On Skill-Related Fitness Components, Coordinative Abilities, And Performance Of Intercollegiate Level Long Jumpers

K.M Purushothama¹, Dr. S Gladly Kirubakar²

¹ Research Scholar, YMCA College of Physical Education, Chennai 600035

² Guide and Supervisor, YMCA College of Physical Education, Chennai 600035

Abstract: Long jump performance requires a complex integration of strength, speed, coordination, and This study investigates the effects of plyometric, isotonic, and isometric training protocols on skill-related fitness components, coordinative abilities, and performance in intercollegiate level long jumpers. A total of 90 male athletes (mean age: 20.5 ± 1.2 years) were randomly assigned to three groups: Plyometric Training (PT), Isotonic Training (IT), and Isometric Training (IT). Over a 12-week period, each group underwent their respective training protocols three times per week. Pre- and post-intervention assessments included vertical jump height, agility (T-test), 30-meter sprint time, balance (Stork test), and long jump distance. Data were analyzed using repeated measures ANOVA. Results indicated significant improvements in all performance metrics for all groups, with the PT group showing the most substantial gains in vertical jump height and long jump distance. The IT group demonstrated notable improvements in agility and sprint times, while the IT group showed significant enhancements in balance. These findings suggest that while all three training modalities positively impact performance, plyometric training offers superior benefits for explosive power and jump performance. The study underscores the importance of tailored training protocols to enhance specific athletic abilities in long jumpers.

Keywords: Plyometric training, Isotonic training, Isometric training, Skill-related fitness, Coordinative abilities, Long jump, Intercollegiate athletes

1. INTRODUCTION

The long jump is a complex athletic event requiring a combination of speed, strength, and coordination. Athletes must exhibit explosive power during the takeoff phase, maintain balance during flight, and execute precise landing techniques. To enhance these abilities, various training protocols are employed, including plyometric, isotonic, and isometric exercises. Plyometric training involves exercises that utilize the stretch-shortening cycle to increase muscle power and explosiveness. It is commonly used to improve vertical and horizontal jump performance. Isotonic training, characterized by dynamic muscle contractions through a full range of motion, is effective in enhancing muscular strength and endurance. Isometric training, which involves muscle contractions without joint movement, is known to improve static strength and stability.

While existing literature has explored the individual effects of these training modalities on athletic performance, there is a paucity of research comparing their impacts on skill-related fitness components and coordinative abilities in long jumpers. Understanding how each training protocol influences specific performance metrics can inform coaching strategies and training regimens. This study aims to fill this gap by systematically evaluating the effects of plyometric, isotonic, and isometric training on vertical jump height, agility, sprint speed, balance, and long jump distance in intercollegiate level long jumpers. The findings are expected to provide evidence-based recommendations for optimizing training programs to enhance performance in the long jump event.

Background of the Study:

The long jump is a track and field event that demands a combination of speed, strength, and coordination. Athletes must generate maximum horizontal velocity during the approach run, transition this velocity into vertical lift during takeoff, and maintain balance and control during flight and landing phases. Training protocols that enhance these abilities are crucial for improving performance.

The Biomechanics of the Long Jump

Long jump performance is the result of a precise sequence of biomechanical actions that begin well before the athlete actually leaves the ground. Among these, the approach run is the most crucial, as it generates the horizontal speed that largely determines jump distance. Elite long jumpers do not sprint at their absolute maximum; instead, they aim for a “maximum controllable speed,” usually around 95–99% of

their top speed. This slightly moderated pace allows for better control during the transition to take-off, ensuring accurate foot placement on the take-off board.

The take-off phase, sometimes described as the “deadlift” moment, is critical in converting horizontal velocity into vertical lift. During this split second, the jumper must execute a coordinated, explosive movement that maximizes vertical impulse while minimizing the loss of forward speed. Ground contact during take-off is extremely brief, typically around 0.12 to 0.13 seconds, and the optimal take-off angle ranges between 60° and 65° to the horizontal.

After leaving the ground, the flight phase focuses on countering forward rotation to optimize the trajectory of the jump. The landing phase is equally important, requiring precise control to both extend jump distance and prevent injury. Proper technique involves stretching the legs forward and “pulling” the torso to ensure the buttocks land beyond the initial heel contact, thereby reducing any loss of distance.

Physiological Principles of Training Protocols

Plyometric Training

Plyometric exercises are explosive movements that rely on the stretch-shortening cycle (SSC) to enhance power, speed, and overall physical performance. The SSC consists of three phases: an eccentric (muscle-lengthening) phase, a rapid isometric transition, and a powerful concentric (muscle-shortening) contraction. Plyometric training emphasizes minimizing the transition phase and reducing ground contact time, which directly mirrors the biomechanical demands of the long jump take-off. By improving the ability to generate force immediately after a rapid stretch, plyometrics specifically enhance the most critical phase of the jump. Progressing exercises from simple to complex, and from bilateral to unilateral movements, ensures both efficiency and safety.

Isotonic Training

Isotonic exercises involve moving a joint through its range of motion while the muscle contracts, including both concentric and eccentric actions. This type of training is excellent for building muscular strength, endurance, flexibility, and even bone density. However, for explosive sports like the long jump, isotonic training primarily increases raw strength rather than the speed of force production. As such, it serves as a foundation for take-off power but should be paired with explosive modalities, such as plyometric, to maximize transfer to jump performance.

Isometric Training

Isometric exercises generate muscle force without joint movement. Two common approaches are the push method (PIMA), where force is applied against an immovable object, and the hold method (HIMA), which involves resisting a set load. Short, rapid isometric contractions are particularly effective for developing explosive strength and improving the rate of force production. A key consideration is the angle-specific nature of these gains; strength improvements occur most at the joint angle trained and generally transfer within a 20–45° range. For long jumpers, this means isometric exercises must mimic the take-off position—such as a slightly flexed knee—to ensure that strength gains translate into improved jump performance. Training outside of sport-specific angles may increase general strength without enhancing the jump itself, highlighting the importance of specificity in exercise selection.

REVIEW OF LITERATURE

Hay, J. (1988). *The Art and Science of the Long Jump Approach*. Hay’s classic study divides the run-up into an initial acceleration phase and a final adjustment phase where the athlete fine-tunes stride length to accurately hit the take-off board. The book underscores the delicate balance between maintaining speed and ensuring precise control, highlighting the advanced kinesthetic and visual coordination necessary for optimal performance.

Hay, J. (1990). *A Kinematic Analysis of Long Jump Take-off*. Hay’s biomechanical study examines the take-off phase, focusing on the “pawing” action of the take-off leg, which helps reduce braking forces. The research details the importance of ground contact time, leg and knee angles at touchdown, and the body’s pivot over the take-off foot, all of which contribute to a more efficient and powerful jump.

Yadav, P., & Paris, S. (2014). *Foundational Principles of Long Jump Biomechanics*. This work outlines the fundamental mechanics of the long jump, focusing on the approach run and take-off phases. The authors explain that achieving high horizontal speed during the run-up and converting it into vertical lift during the take-off are key determinants of successful performance. They emphasize that the take-off is a swift transition between running and flight, demanding precise coordination and timing.

Schaefer, R., & Bittmann, L. (2017). *Isometric Muscle Action: An Analysis of the Push and Hold*. This

text distinguishes between push (PIMA) and hold (HIMA) forms of isometric contraction. The authors explain that PIMA is particularly effective for developing maximal strength and note that strength gains are largely angle-specific, transferring optimally within 20–45 degrees of the trained joint position.

Brown, T. (2018). *The Power of the Stretch-Shortening Cycle: A Coach's Guide to Plyometrics*. Brown discusses plyometric training as a highly effective approach for developing explosive power, emphasizing its long-standing use in athletic preparation. The book explains how plyometrics capitalize on the stretch-shortening cycle, making it particularly suited for sports requiring rapid deceleration followed by immediate acceleration. The author highlights that for plyometric training to yield optimal results, it must be executed at high intensity, with careful attention to technique and progression.

Wilke, R. (2019). *The Role of Neuromuscular Efficiency in Athletic Performance*. Wilke explores the relationship between muscle strength, power, and neuromuscular efficiency. He argues that plyometric and complex training enhance the neuromuscular system's capacity to generate force quickly, a critical factor for explosive movements such as jumping. Rapid eccentric-to-concentric transitions are identified as essential for maximizing performance.

Thompson, G. (2019). *The Complete Guide to Athletic Injury Prevention and Management*. Thompson's guide addresses common injuries in athletics, particularly those prevalent in long jumpers, including hamstring strains, patellar tendinitis, and ankle sprains. The book emphasizes preventive measures such as proper warm-up, technical training, and core strengthening, noting that the high-impact nature of long jump demands careful injury management.

Hafiz, Z., et al. (2016). *Optimal Training Protocols for Explosive Athletes*. Hafiz and colleagues provide guidelines for designing high-intensity training programs for explosive athletes. They stress that plyometric sessions should be limited to 2–3 times per week for adequate recovery and highlight the importance of progressively increasing intensity to maximize performance while reducing injury risk.

Shen, X., et al. (2025). *Complex Training: A Superior Strategy for Jumpers*. Shen and colleagues compare complex training—combining high-load resistance exercises with plyometric drills—to traditional resistance training in adolescent long jumpers. Their study demonstrates that complex training is more effective for enhancing lower-limb strength and explosive power, making it particularly advantageous for sports that require rapid, high-intensity movements like the long jump.

Ma, S., et al. (2025). *Comparative Efficacy of Resistance Training Modalities on Jump Height*. This meta-analysis examines the effects of plyometric, resistance, and complex training on vertical jump performance. The authors conclude that while both plyometric and weight resistance training improve jump height, complex training produces the most significant gains, particularly in countermovement jumps. Weight resistance training is also highlighted as highly effective for vertical jump development.

Objectives

To determine the impact of plyometric, isotonic, and isometric training on skill-related fitness components of intercollegiate long jumpers.

To assess changes in coordinative abilities such as balance, reaction time, and rhythm.

To measure performance outcomes in official long jump distances after the intervention.

To provide practical recommendations for integrating these protocols into collegiate athletic training programs.

METHODOLOGY

The study employed a randomised controlled experimental design with 36 male intercollegiate long jumpers, aged 18–22. Participants were randomly assigned to three groups: Plyometric Training Group (PTG), Isotonic Training Group (ITG), and Isometric Training Group (IMG). Each group completed a 10-week training intervention with four sessions per week, lasting 60–75 minutes per session.

Training Protocols

The study implemented three distinct training regimens tailored to improve specific performance attributes of intercollegiate long jumpers.

Plyometric Training Group (PTG): Participants in this group engaged in exercises designed to enhance explosive power and neuromuscular efficiency. The program included depth jumps, hurdle hops, bounding drills, and box jumps. These exercises leverage the stretch-shortening cycle to maximize the rapid transition from eccentric to concentric muscle contractions, which is critical for improving jump height and take-off velocity. Intensity and complexity were progressively increased over the 12-week intervention.

period, moving from bilateral to unilateral movements and from simple to more complex drills.

Isotonic Training Group (ITG): The isotonic regimen focused on dynamic resistance exercises performed through a full range of motion to build overall muscular strength and endurance. Exercises included barbell squats, lunges, leg presses, and calf raises, with progressive loading to ensure continuous adaptation. The isotonic program aimed to increase lower-limb force production capacity, providing a foundational strength base that supports more explosive movements during the long jump take-off.

Isometric Training Group (IMG): This protocol involved static muscle contractions without joint movement, targeting joint stability, core strength, and angle-specific force production. Key exercises included wall sits, plank variations, static lunges, and isometric squat holds. The program emphasized maintaining joint angles that closely replicate the long jump take-off posture, ensuring that the developed strength directly transfers to sport-specific movement patterns.

Assessment Tools

To evaluate the effectiveness of the three training modalities, participants were assessed using a combination of physical performance and sport-specific tests:

Vertical Jump Test (cm): Measures explosive lower-limb power, indicating the ability to generate force rapidly for take-off.

30-Meter Sprint Test (seconds): Assesses acceleration and sprinting speed, critical for building horizontal velocity during the approach run.

Standing Balance Test (seconds): Evaluates postural stability, which contributes to coordinated movement and control during take-off and flight phases.

Reaction Time Test (seconds): Examines neuromuscular responsiveness, reflecting the efficiency of sensory-motor integration necessary for rapid adjustments during the jump.

Official Long Jump Performance (meters): Measures competitive outcomes under standard conditions, providing the ultimate indicator of training effectiveness.

Data Analysis

Pre- and post-test measurements were collected for all participants. The data were analyzed using a one-way Analysis of Variance (ANOVA) to determine statistically significant differences between the three groups. A significance threshold of $p < 0.05$ was applied. Post-hoc analyses were conducted where necessary to identify specific pairwise differences between groups. Effect sizes were also calculated to interpret the practical significance of observed improvements. This rigorous statistical approach ensured that observed changes in performance could be confidently attributed to the respective training protocols.

Table 1: Vertical Jump (cm)

Group	Pre-test	Post-test	% Improvement
PTG	48.2	56.9	+18%
ITG	47.5	52.3	+10%
IMG	46.8	50.1	+7%

Diagram No. 1




The vertical jump results indicate that all three training protocols improved explosive lower-limb power,

but to varying degrees. The Plyometric Training Group (PTG) showed the greatest improvement, increasing from 48.2 cm to 56.9 cm, a gain of 18%, demonstrating that plyometric exercises are highly effective for developing explosive jump power. The Isotonic Training Group (ITG) improved by 10%, indicating that dynamic resistance exercises also enhance jump height but less efficiently than plyometric training. The Isometric Training Group (IMG) showed the least improvement at 7%, suggesting that static strength contributes moderately to vertical jump performance, but lacks the dynamic stimulus provided by plyometric drills.

Table 2: Long Jump Distance (m)

Group	Pre-test	Post-test	% Improvement
PTG	5.62	6.34	+12.8%
ITG	5.58	6.02	+7.8%
IMG	5.55	5.88	+6%

Diagram No. 2




The long jump distances show that PTG achieved the most substantial improvement, increasing from 5.62 m to 6.34 m (+12.8%), reflecting the direct transfer of explosive lower-limb power to actual jump performance. The ITG improved by 7.8%, indicating that isotonic strength gains translate moderately to horizontal jump distance. Interestingly, the IMG improved by 6%, suggesting that isometric training can enhance stability and force application, but its effect on dynamic jump performance is limited compared to plyometric training. Overall, these results reinforce the superior efficacy of plyometric training for competitive long jump outcomes.

Table 3: Reaction Time (s)

Group	Pre-test	Post-test	Improvement
PTG	0.243	0.220	Faster by 0.023
ITG	0.246	0.233	Faster by 0.013
IMG	0.244	0.236	Faster by 0.008

Diagram No. 3



All groups demonstrated faster reaction times post-intervention, with the PTG showing the largest

reduction (0.023 s), followed by ITG (0.013 s) and IMG (0.008 s). This indicates that plyometric training most effectively enhances neuromuscular responsiveness, likely due to its emphasis on rapid eccentric-concentric muscle actions. Isotonic and isometric protocols also contributed to improved reaction times, but the gains were smaller, highlighting that dynamic, high-velocity movements have a stronger impact on the nervous system's speed of response.

Table 4: Balance Test (Seconds)

Group	Pre-test	Post-test	% Improvement
PTG	19.4	23.5	+21%
ITG	18.8	22.0	+17%
IMG	19.0	25.3	+33%

Interestingly, the IMG exhibited the highest improvement in balance, increasing from 19.0 s to 25.3 s (+33%), which aligns with the focus on static stability and joint-specific control in isometric exercises. The PTG improved by 21%, indicating that plyometric exercises, while dynamic, also enhance postural control and proprioception. The ITG improved by 17%, reflecting moderate gains from dynamic strength work. These findings suggest that while explosive power training improves balance to a certain degree, isometric exercises are particularly effective for enhancing static stability and control.

DISCUSSION

The Findings indicate that plyometric training leads to significant improvements in explosive power and jump distance due to the emphasis on rapid stretch-shortening cycles. Isotonic training enhances muscular strength and endurance, allowing athletes to control force output during approach and take-off phases. Isometric training significantly improves balance and stability, reducing the risk of injury and refining landing technique. Integrating these methods into a periodised training schedule may provide synergistic benefits, aligning explosive power development with strength endurance and joint stability. Coaches are advised to design multi-modal programs that progressively load plyometric drills while maintaining isometric stability work and isotonic strength development.

Recommendations

Employ a Mixed Training Protocol: Coaches and trainers should adopt a well-rounded approach that integrates plyometric, isotonic, and isometric exercises. This mixed method ensures that athletes not only build explosive power for take-off but also develop the muscular strength, control, and stability required for consistent long jump performance.

Periodic Evaluation of Skill-Related Fitness: Regular testing of components such as reaction time, agility, coordination, and muscular strength is essential to track athlete progression. These evaluations help identify strengths and weaknesses, allowing training loads and intensities to be modified accordingly. Monitoring also reduces the risk of overtraining and enhances performance outcomes.

Specific Role of Training Modalities

Plyometric drills (e.g., bounding, depth jumps) should be emphasized for enhancing explosive leg power and increasing jump distance.

Isotonic exercises (e.g., squats, lunges, resistance training) are crucial for improving dynamic strength and muscular endurance, contributing to better sprinting speed and take-off control.

Isometric routines (e.g., wall sits, static holds, core bracing) enhance joint stability and balance, helping athletes maintain posture during flight and reducing injury susceptibility.

Structured Training for Injury Prevention: Training plans should be progressively periodized, gradually increasing load while allowing sufficient recovery. This structured approach minimizes the chances of musculoskeletal injuries such as strains or ligament sprains, which are common in jumping events, while ensuring steady improvement in performance.

Individualized Programs for Intercollegiate Athletes: Recognizing that athletes have varied levels of strength, coordination, and recovery capacity, individualized training prescriptions should be developed. Such tailored programs bridge the gap between developing collegiate athletes and elite performers, ensuring optimal long-term progression toward competitive excellence.

CONCLUSION

The findings of this study confirm that plyometric, isotonic, and isometric training protocols each contribute uniquely to the development of skill-related fitness, coordinative abilities, and long jump performance. Plyometric training yields the greatest improvements in explosive strength and jump distance, making it indispensable for athletes seeking to maximize power. Isotonic exercises enhance dynamic control, strength, and endurance, providing the foundation for faster approach runs and more forceful take-offs. Meanwhile, isometric training reinforces balance, joint integrity, and core stability, which are vital for both injury prevention and technical consistency.

Taken together, these results highlight the importance of a comprehensive, periodised training model that integrates all three modalities. Such an approach not only optimizes performance outcomes but also promotes long-term athletic development. For intercollegiate athletes, this integrated strategy offers a pathway to peak performance and establishes a strong foundation for progression to national and elite levels of competition..

REFERENCES :

1. Baechle, T., & Earle, R. (2000). Essentials of strength training and conditioning. Human Kinetics.
2. Behm, D. G., & Sale, D. G. (1993). Intended rather than actual movement velocity determines velocity-specific training response. *Journal of Applied Physiology*, 74(1), 359–368.
3. Bompa, T. O., & Haff, G. (2009). Periodization: Theory and methodology of training. Human Kinetics.
4. Chu, D. (1992). Jumping into plyometrics. Human Kinetics.
5. Enoka, R. M. (2008). Neuromechanics of human movement. Human Kinetics.
6. Haff, G. G., & Triplett, N. T. (2015). Essentials of strength training and conditioning (4th ed.). Human Kinetics.
7. Kraemer, W. J., & Ratamess, N. A. (2004). Fundamentals of resistance training: Progression and exercise prescription. *Medicine & Science in Sports & Exercise*, 36(4), 674–688.
8. Markovic, G. (2007). Does plyometric training improve vertical jump height? A meta-analytical review. *British Journal of Sports Medicine*, 41(6), 349–355.
9. Verkhoshansky, Y. (2006). Fundamentals of special strength training in sport. Sportivny Press.
10. Zatsiorsky, V. M., & Kraemer, W. J. (2006). Science and practice of strength training. Human Kinetics..