

Amphibian Diversity And Conservation Challenges In India: A Comprehensive Review

Durgam Thirupathi^{1*}, K. Ramaneswari²

^{1,2}Department of Zoology, Adikavi Nannaya University, Rajamahendravaram, Andhra Pradesh, India

*Corresponding author: Durgam Thirupathi

*E-mail: thirupathid920@email.com

Abstract

India harbors more than 450 amphibian species, many of which are unique to the region and play vital ecological roles, such as serving as indicators of environmental health and controlling pest populations. Despite their significance, amphibians are often overlooked in the country's conservation priorities. Their populations are increasingly threatened by rapid habitat destruction, agricultural intensification, pesticide contamination, infrastructure growth, climate variability, and emerging diseases. A large proportion of these amphibians inhabit areas outside formal protected zones, and only a limited number benefit from legal protection under Indian wildlife legislation. This review brings together current information on the diversity and conservation status of amphibians in India, outlining key threats, current conservation efforts, and gaps in scientific understanding and policy frameworks. It stresses the importance of using modern molecular methods for taxonomic clarity, adopting better habitat management practices in human-impacted landscapes, and fostering public awareness and community participation. Effective conservation of amphibians in India will depend on collaborative scientific research and increased societal engagement to safeguard this crucial but neglected group.

Keywords: Amphibians, DNA barcoding, Rajanagaram Mandal, Biodiversity, Conservation

INTRODUCTION

Amphibians play crucial ecological roles worldwide, acting both as predators and prey within ecosystems, and serving as sensitive indicators of environmental health. Globally, amphibian populations are experiencing dramatic declines, with over 40% of species currently considered threatened, largely due to habitat loss, pollution, emerging diseases, and climate change. In India, a recognized global biodiversity hotspot, the status of amphibians is similarly worrisome.

India boasts more than 450 amphibian species, with new discoveries continuing, particularly in biodiversity-rich regions like the Western Ghats, Northeast India, and parts of the Eastern Ghats. Notably, over 85% of these species are endemic, found nowhere else in the world. Despite this remarkable diversity, amphibians have historically been neglected in India's conservation agendas. Unlike flagship species such as tigers and elephants, amphibians receive limited research attention and legal protection.

The conservation of amphibians in India faces multiple obstacles, including insufficient species-specific data, inadequate representation within protected areas, weak enforcement of legal protections, and low public awareness. Many amphibians inhabit landscapes outside traditional forested reserves—such as farmlands, roadside wetlands, and seasonal pools—that are seldom the focus of conservation actions.

This review seeks to consolidate current knowledge on amphibian diversity and conservation in India, emphasizing patterns of species richness, the main threats they face, and the gaps in existing conservation strategies. It highlights the need for habitat-inclusive approaches, greater use of molecular techniques, involvement of local communities, and policy reforms—especially in under-studied regions like Telangana and semi-arid zones—to ensure effective long-term conservation of these vital species.

AMPHIBIANS DIVERSITY IN INDIA

India is recognized as one of the world's biodiversity hotspots, harboring a rich and unique amphibian fauna. Currently, more than **450 species of amphibians** have been documented across the country, with numbers steadily increasing due to ongoing taxonomic research and field discoveries. This diversity includes

representatives from all three orders of amphibians: Anura (frogs and toads), Caudata (salamanders), and Gymnophiona (caecilians).

The Western Ghats and Northeast India are the most species-rich regions, accounting for the majority of endemic species. The Western Ghats alone are home to over 140 amphibian species, many of which exhibit highly restricted distributions. The Northeastern states, including Arunachal Pradesh, Meghalaya, and Assam, possess a complex mosaic of habitats that support a similarly high level of amphibian endemism and diversity. The Eastern Ghats and the Deccan Plateau regions, including Telangana, are comparatively less studied but are gradually revealing new species and range extensions.

Endemism is a striking feature of Indian amphibians, with over **85% of species** found nowhere else globally. This high degree of endemism emphasizes India’s global responsibility for amphibian conservation. Many species are adapted to very specific microhabitats, such as hill streams, leaf litter, and ephemeral pools, which makes them especially vulnerable to habitat alterations.

Despite this richness, amphibian diversity in India remains **poorly documented** in several regions, especially in semi-arid and human-dominated landscapes. Furthermore, many amphibians are cryptic and nocturnal, making field detection difficult. Recent advances in molecular tools like DNA barcoding have helped uncover cryptic species complexes and clarify taxonomic ambiguities, contributing significantly to our understanding of India’s amphibian fauna.

The ongoing discovery of new species and the wide distribution of endemic taxa highlight the critical need for comprehensive biodiversity assessments and conservation efforts tailored to India’s varied ecosystems

Table 1: Summary of Amphibian Diversity in India by Family

Family	No. of Species	% Endemic to India	Major Regions Found	Conservation Concern
Rhacophoridae	90+	~85%	Western Ghats, NE India	High (many species Data Deficient)
Microhylidae	70+	~60%	Western Ghats, NE India	Moderate
Dicroglossidae	65+	~30%	Peninsular India, NE India	Moderate
Bufo	45+	~25%	Throughout India	Low–Moderate
Nyctibatrachidae	35+	~100%	Exclusive to Western Ghats	High (many critically endangered)
Megophryidae	25+	~50%	Eastern Himalayas, NE India	High
Ranixalidae	15+	~100%	Western Ghats	Very High
Ranidae	30+	~20%	Pan-India, especially NE	Low–Moderate
Ichthyophiidae	20+	~80%	Western Ghats, NE India	Moderate

MAJOR THREATS TO AMPHIBIANS IN INDIA

Amphibians in India are confronted with a variety of threats that have led to drastic population declines and heightened extinction risks. These threats are often interconnected, creating complex conservation challenges.

HABITAT LOSS AND FRAGMENTATION

The foremost threat is the widespread destruction of natural habitats caused by deforestation, expansion of agriculture, urban growth, and infrastructure projects. Essential habitats such as forests, wetlands, and temporary

water bodies are increasingly being converted into farmland, residential areas, and industrial zones. This habitat fragmentation isolates amphibian populations, reduces genetic diversity, and restricts their movement, thereby increasing their vulnerability to local extinction events.

POLLUTION

The heavy use of pesticides, herbicides, and fertilizers in farming contaminates aquatic environments crucial for amphibian reproduction and larval development. Due to their permeable skin, amphibians are especially susceptible to these chemicals, which can result in developmental abnormalities, lower reproductive rates, and higher mortality.

CLIMATE CHANGE

Shifts in rainfall patterns, rising temperatures, and extreme weather phenomena disrupt amphibians’ breeding seasons and reduce the availability of suitable habitats. In India, where monsoon rainfall plays a pivotal role in amphibian life cycles, changes in the timing or intensity of rains can severely impact population stability.

ROAD MORTALITY AND INFRASTRUCTURE DEVELOPMENT

Roads built through amphibian habitats cause direct mortality from vehicle collisions, especially during seasonal breeding migrations. Additionally, infrastructure alters habitats and local water regimes, further degrading breeding sites.

INVASIVE SPECIES AND DISEASE

Non-native predators, such as certain fish species introduced into water bodies, prey on amphibian eggs and larvae, reducing survival rates. Emerging diseases, particularly chytridiomycosis caused by the fungus *Batrachochytrium dendrobatidis*, pose a growing threat by impairing amphibian skin function and causing mass die-offs worldwide, including reports from India.

DATA DEFICIENCY AND LOW AWARENESS

Many amphibian species remain inadequately studied or undiscovered, especially in remote or human-altered landscapes. This lack of comprehensive data hinders effective conservation strategies. Furthermore, amphibians often receive less attention from policymakers, funders, and the general public compared to more charismatic animals, leading to insufficient conservation efforts and funding.

Table 2: Major Threats to Amphibians in India and Suggested Conservation Actions

Threat	Impact	Hotspots	Suggested Actions
Habitat Loss	Deforestation, urbanization, wetland destruction	Western Ghats, NE India	Protected areas, habitat restoration
Pollution	Pesticides, industrial waste, sewage in wetlands	Indo-Gangetic Plain	Water quality management, organic farming
Climate Change	Disrupts breeding cycles and distributions	Himalayas, coastal areas	Long-term monitoring, habitat corridors
Invasive Species	Bullfrogs and exotic fish predation	Andaman Islands	Control programs, awareness
Disease (Bd Fungus)	Chytridiomycosis affects skin, respiration	High-altitude areas	Surveillance, captive breeding

CURRENT CONSERVATION EFFORTS

Despite growing recognition and some conservation efforts, amphibian protection in India faces numerous obstacles that limit its effectiveness.

LOW PUBLIC AWARENESS AND INTEREST

Compared to more charismatic animals like mammals and birds, amphibians attract much less public attention. This lack of interest translates into limited political support and funding for conservation programs focused on amphibians. Additionally, cultural myths, fear, and negative perceptions surrounding amphibians contribute to their widespread neglect.

INADEQUATE LEGAL SAFEGUARDS:

The majority of Indian amphibian species are not covered under the schedules of the Wildlife Protection Act, leaving them exposed to threats such as habitat destruction, illegal collection, and trade. Even where laws exist, enforcement is often weak, especially in rural and peri-urban regions.

TAXONOMIC CHALLENGES AND HIDDEN DIVERSITY

Many amphibians remain either undescribed or poorly studied due to their cryptic appearance and a shortage of taxonomic expertise. This uncertainty makes it difficult to prioritize species for conservation, risking the loss of unrecognized species before protective measures can be implemented.

HABITAT LOSS BEYOND PROTECTED AREAS

While protected reserves offer some refuge, a large proportion of amphibian populations occur in agricultural lands, villages, and other human-dominated landscapes that lack formal conservation status. These habitats continue to face degradation and fragmentation, yet they are rarely included in conservation planning.

LIMITED FUNDING AND RESEARCH COVERAGE

Amphibian studies in India suffer from insufficient funding and inadequate research infrastructure. Many regions, especially semi-arid and remote areas, remain poorly surveyed, resulting in data gaps that hinder effective conservation strategy development.

EMERGING THREATS FROM DISEASE AND INVASIVE SPECIES

Emerging diseases like chytridiomycosis pose increasing risks, but monitoring and management efforts are minimal. Invasive species also negatively impact native amphibian populations, though their effects remain insufficiently researched and addressed.

CHALLENGES IN COMMUNITY PARTICIPATION

Gaining local community involvement in amphibian conservation is difficult due to a lack of awareness, economic priorities, and competing demands for land use. Without community support, sustainable conservation outcomes are unlikely.

CHALLENGES IN AMPHIBIAN CONSERVATION

Although awareness about amphibian conservation in India has improved and some initiatives have been launched, many challenges still impede the effective protection and management of these species.

LIMITED PUBLIC AWARENESS AND INTEREST

Amphibians tend to receive far less attention than more charismatic animals like mammals and birds. This low public interest translates into reduced political commitment and scarce funding for amphibian-focused conservation efforts. Moreover, cultural fears and misconceptions about amphibians contribute to their continued neglect.

WEAK LEGAL PROTECTION

The majority of amphibian species in India are not listed in the schedules of the Wildlife Protection Act, leaving them exposed to threats such as habitat destruction, illegal collection, and trafficking. Even where laws exist, enforcement is often inadequate, especially in rural and peri-urban regions.

TAXONOMIC CHALLENGES AND CRYPTIC DIVERSITY

Many amphibian species remain poorly described or unidentified due to their subtle morphological differences and a shortage of taxonomic expertise. This uncertainty complicates prioritizing species for conservation, risking the loss of species that have not yet been formally recognized.

HABITAT LOSS BEYOND PROTECTED AREAS

While protected zones provide refuge for some amphibians, a large share of populations live in agricultural fields, rural villages, and other human-dominated landscapes that lack formal conservation status. These habitats are often overlooked, leading to continued degradation and fragmentation.

INADEQUATE FUNDING AND RESEARCH

Research on amphibians in India faces funding shortages and limited infrastructure. Many regions, particularly semi-arid and remote areas, are poorly surveyed, resulting in significant gaps in knowledge that hamper conservation planning.

EMERGING THREATS FROM DISEASE AND INVASIVE SPECIES

Diseases such as chytridiomycosis are emerging threats but remain largely unmonitored and unmanaged. Invasive species also disrupt native amphibian populations, yet their impacts are under-researched and poorly addressed.

DIFFICULTIES IN COMMUNITY INVOLVEMENT

Mobilizing local communities for amphibian conservation is challenging due to low awareness, economic priorities, and competing land use interests. Without local support, long-term conservation efforts are unlikely to succeed.

RECOMMENDATIONS AND FUTURE DIRECTION

To ensure the effective conservation of India's diverse amphibian species, urgent, coordinated actions are needed across scientific research, policy frameworks, and community engagement. The following recommendations highlight key priorities to bridge existing gaps and achieve long-term conservation success

BROADEN LEGAL PROTECTION

Expand the list of amphibian species covered under the Wildlife Protection Act to provide stronger legal protection against habitat loss and exploitation. Improve enforcement, particularly in rural and peri-urban areas where many amphibians reside.

STRENGTHEN RESEARCH AND TAXONOMY

Support integrative taxonomic approaches that combine molecular techniques like DNA barcoding with traditional morphological studies to clarify species identities and reveal hidden diversity. Increase funding and build capacity for comprehensive field surveys, especially in lesser-studied regions such as Telangana and semi-arid landscapes.

PROTECT HABITATS OUTSIDE PROTECTED AREAS

Acknowledge the importance of amphibian habitats in agricultural fields, roadside wetlands, and village ponds, which often function as critical breeding and feeding sites. Develop conservation strategies at the landscape scale that balance human land use with biodiversity preservation.

ENHANCE COMMUNITY PARTICIPATION AND AWARENESS

Foster local stewardship by involving communities through education programs and citizen science projects. Work closely with farmers to promote agricultural practices that conserve wetlands and reduce pesticide impacts, benefiting amphibian populations.

ESTABLISH LONG-TERM MONITORING

Implement systematic monitoring protocols to regularly track amphibian populations, identify emerging threats, and evaluate the effectiveness of conservation efforts. Use collected data to guide adaptive management and inform policy development.

ADDRESS EMERGING THREATS

Increase research and surveillance of amphibian diseases, such as chytridiomycosis, and develop biosecurity measures to prevent the spread of pathogens and invasive species that threaten native amphibians.

INTEGRATE CONSERVATION INTO POLICY AND SECURE FUNDING

Incorporate amphibian conservation priorities into broader biodiversity and environmental policies at both national and state levels. Mobilize dedicated funding from governmental and international sources to support ongoing research and conservation initiatives.

CONCLUSION

Amphibians form an essential yet frequently overlooked part of India's diverse wildlife. Hosting over 450 species, many endemic and ecologically specialized, they play crucial roles in maintaining healthy ecosystems. However, threats such as rapid habitat destruction, pollution, climate change, emerging diseases, and limited legal safeguards jeopardize their survival. Although conservation efforts have increased recently, they remain inadequate to fully address these multifaceted challenges.

To effectively conserve India's amphibian wealth, it is vital to strengthen legal protections, advance scientific research through modern molecular methods, and design conservation strategies that also encompass human-modified environments. Additionally, fostering local community involvement and raising public awareness are key to achieving lasting conservation success. By uniting researchers, policymakers, and society, India can protect its amphibians and fulfill its role as a global biodiversity hotspot.

ACKNOWLEDGEMENT

I sincerely express my deep gratitude to my research supervisor, Professor K. Ramaneswari, for her invaluable guidance, encouragement, and continuous support throughout the preparation of this review. I am also thankful to my co-scholar, Abhinash, for his constant cooperation and academic companionship. I extend my heartfelt thanks to Adikavi Nannaya University for providing the necessary academic environment and resources that made this work possible.

References:

1. Biju, S. D. (2001). A synopsis to the frog fauna of the Western Ghats, India. Occasional Publication of the Indian Society for Conservation Biology, 1:1–24.
2. Biju, S. D., & Bossuyt, F. (2003). New frog family from India reveals an ancient biogeographical link with the Seychelles. *Nature*, 425(6959), 711–714.
3. Gururaja, K. V. (2012). Pictorial Guide to Frogs and Toads of the Western Ghats. Gubbi Labs.
4. Dinesh, K. P., Radhakrishnan, C., Raju, D. V., & Radhakrishnan, R. (2010). Amphibian diversity of Kerala. *Zoological Survey of India*, 1–50.
5. Dinesh, K. P., Vijayakumar, S. P., Channakeshavamurthy, B. H., & Giri, V. (2020). Systematic revisions in Indian amphibians. *Records of the Zoological Survey of India*, 120(Supplement), 1–20.
6. Gower, D. J., & Wilkinson, M. (2005). Conservation biology of caecilian amphibians. *Conservation Biology*, 19(1), 45–55.
7. Daniels, R. J. R. (2005). *Amphibians of Peninsular India*. Universities Press.
8. Krishnamurthy, S. V., & Mohan, M. (2010). Threats to amphibian diversity in Western Ghats. *Current Science*, 98(3), 358–359.
9. Padhye, A. D., & Dahanukar, N. (2015). Amphibians of Northern Western Ghats. *Journal of Threatened Taxa*, 7(1), 6856–6871.
10. Pillai, R. S. (1981). Amphibian fauna of Silent Valley, Kerala, India. *Bulletin of the Zoological Survey of India*, 3, 207–215.

11. Daniels, R. J. R. (1992). Geographical distribution patterns of amphibians in the Western Ghats. Centre for Herpetology, Madras Crocodile Bank Trust.
12. Molur, S., et al. (2008). South Asian amphibians: Conservation assessment and management plan (CAMP) workshop report. Zoo Outreach Organisation.
13. IUCN (2024). The IUCN Red List of Threatened Species. Retrieved from www.iucnredlist.org
14. Biju, S. D., et al. (2014). DNA barcoding of frogs reveals cryptic diversity. *Zootaxa*, 3796(1), 1–24.
15. Frost, D. R. (2024). Amphibian Species of the World: an Online Reference. American Museum of Natural History. Retrieved from <https://amphibiansoftheworld.amnh.org>
16. Joshi, J., et al. (2019). Amphibian diversity in agricultural landscapes of the Western Ghats. *Applied Herpetology*, 16(1–2), 1–14.
17. Garg, S., et al. (2018). Fifty million years of isolation: A new genus of frog from India. *Nature Communications*, 9, Article 5445.
18. Vijayakumar, S. P., et al. (2016). A new ancient lineage of frogs discovered from the Western Ghats. *PeerJ*, 4, e2977.
19. Radhakrishnan, C., & Das, I. (2007). Amphibians of India: Updated list and bibliography. Zoological Survey of India.
20. Biju, S. D., et al. (2007). New species and genera discoveries among Indian amphibians in the last two decades. *Hamadryad*, 31(2), 154–170.